PHYSICIAN'S REPORT—CHILD CARE CENTERS

(CHILD'S PRE-ADMISSION HEALTH EVALUATION)

A - PARENT'S (ONSENT (TO	BE COMP	LETED E	BY PAREN	T)		
, born _				is being	studied	for readines	ss to enter
I his	Child Care Cente	r/School pr	ovides a	program w	hich exte	ends from	:
days a week.							
d child using the for center.	rm below. I hereb	y authorize	release	of medica	l informa	tion containe	ed in this
(SIGNATURE OF PA	RENT, GUARDIAN, OR C	CHILD'S AUTHO	RIZED REPR	ESENTATIVE)		(TODA	Y'S DATE)
- PHYSICIAN'S	REPORT (TO	BE COMPI	ETED B	Y PHYSIC	IAN)		
	Al	leraies: medici	ne:				
		_					
	As	sırıma:					
S/RESTRICTIONS FOR	THIS CHILD:						
l out or enclose	California Im	munizati	on Rec	ord, PM	-298.)		
					,		
1st	2nd	3r	<u>d</u> ,	4	th '	5	<u>th</u> ,
1 1		/		/		/	1
/ /		/	1	/	/	/	/
/ /	/ /			,		7	
/ /	/ /	/	/	/	/		
/ /	/ /	/	/				
/ /	/ /						
RS (listing on revers	se side)						
kin test not required	ı.						
TR skin test nerfor	med (unless						
•	inea (aniess						
se not present.							
reviewed the al	pove information	with the par	ent/guard	dian.			
		Date of Physical Exam:					
	Date	of Physical	Exam: _				
	Date	This Form	Complete	ed:			
						. This Child Care Center/School provides a program which external days a week. d child using the form below. I hereby authorize release of medical information in the content. (SIGNATURE OF PARENT, GUARDIAN, OR CHILD'S AUTHORIZED REPRESENTATIVE) - PHYSICIAN'S REPORT (TO BE COMPLETED BY PHYSICIAN) Allergies: medicine: Insect stings: Food: Asthma: S/RESTRICTIONS FOR THIS CHILD: I out or enclose California Immunization Record, PM-298.) DATE EACH DOSE WAS GIVEN 1 st 2nd 3rd 4th	

LIC 701 (8/08) (Confidential) PAGE 1 OF 2

RISK FACTORS FOR TB IN CHILDREN:

- * Have a family member or contacts with a history of confirmed or suspected TB.
- * Are in foreign-born families and from high-prevalence countries (Asia, Africa, Central and South America).
- Live in out-of-home placements.
- * Have, or are suspected to have, HIV infection.
- Live with an adult with HIV seropositivity.
- * Live with an adult who has been incarcerated in the last five years.
- * Live among, or are frequently exposed to, individuals who are homeless, migrant farm workers, users of street drugs, or residents in nursing homes.
- Have abnormalities on chest X-ray suggestive of TB.
- Have clinical evidence of TB.

Consult with your local health department's TB control program on any aspects of TB prevention and treatment.

LIC 701 (8/08) (Confidential) PAGE 2 of 2